

July 11, 2010

filename bibc.wpd

- Cabibel, J., H. Termier and G. Termier. 1958. Les Echinodermes mesocambriens de la Montagne Noire. *Ann. Paleont.* 44: 281-94.
- Calder, J. H. 1998. The Carboniferous evolution of Nova Scotia. pp. 261-302 In D. J. Blundell & A. C. Scott (eds.) *Lyell: the past is the key to the present*. Geological Society, London, Special Publications No. 143, pp. 261-302. [p. 296 lists Ophiuroidea, 2 genera, 3 species, Windsor group] [p. 272, stratigraphic column with ophiuroid icon, Windsor Group] [p. 295 primary sources include R.G. Moore pers. comm 1997; also Moore & Ryan 1976]
- Caley and Liberty, 1952.
- Calzada, S. and D. Gutiérrez. 1988. Ofiuras (Echinodermata) del Ladinense catalán. -- *Batalleria* 1:31-38. [Stephanouropsis moralejai n.g., n.sp. is compared with Stephanoura and Ophiaulax; extends the range of Ophiurinae to the Middle Triassic]
- Camacho, Horatio H. 1966. *Invertebrados fósiles*. Editorial Universitaria de Buenos Aires [EUDEBA]. 707 pp. [Echinodermata: chapt. 18, pp. 535-583. Villebrunaster, Echinasterella? darwini Clarke, Encrinaster pontis (Clarke), Encrinaster yachelensis Ruedemann, Argentinaster bodenbenderi Ruedemann]
- Campbell, K. S. W. and C. R. Marshall. 1987. Rates of evolution among Palaeozoic echinoderms. pp. 61-100 in *Rates of Evolution* (edited by K. S. W. Campbell and M. F. Day). Allen & Unwin (Publishers) Ltd., London.
- Carpenter. 1882. On the homologies of the apical system.
- Casanova, Richard. 1970. *An illustrated guide to fossil collecting*. Revised edition. Naturegraph Publishers, Healdsburg, CA. [photographs courtesy of Smithsonian Institution except when noted] [p. 46 Fig. 87 Devonian sp., Hamilton, Virginia, 0.1 mile NW of Gore] [Fig. 88 Hunsruck Encrinaster sp. (photo Allen Graffham, Geological Enterprises)]
- Case, G. R. 1982. *A pictorial guide to fossils*. Van Nostrand Reinhold Co., NY. 514 pp. [p. 29 fig. 4-61 Pennsylvanian ophiuroid sp. indet. from Estuary Shales, Bluefield, Mercer County, Virginia]
- Castellaro, H. A. 1966 [1967]. *Gui paleontologica Argentina*. I. Paleozoico. 3. Faunas Siluricas. 4. Faunas Devonicos. Consejo Nacional de Investigaciones Cientificas y Technicas, Buenos Aires 1966 [1967]: 1-164, figs. [source *Zoo. Rec.* 1969] [Argentinaster bodenbenderi pp. 47-48 fig.] [Encrinaster jachalensis p. 46 fig.]

July 11, 2010

- Caster, K. E. 1934. The stratigraphy and paleontology of northeastern Pennsylvania. Part I: Stratigraphy. *Bulletins of American Paleontology* 21(71):1-185. [on p. 75 Auluroid n.g.?, n.sp. Tidioute member, Cussewago Series; asteroid n.sp. Knapp Suite and Kushequa Shale, Cussewago Series; Mississippian age]
- Caster, K. E. 1939. Siliceous sponges from Mississippian and Devonian strata of the Penn-York Embayment. *Jour. Paleont.* vol. 13, no. 1, pp. 1-20. [Pp. 11, 12 and pl. 1 figs. 1, 2 report the ophiuroid later named Ophiomusium calathospongium Berry, 1939. Locality information is not repeated by Berry.]
- Chadwick, George Halcott. 1944. Silurian and Devonian geology, with a chapter on glacial geology, Pt. 2 of *Geology of the Catskill and Kaaterskill quadrangles*. N. Y. State Mus. Bull. 336, 251 pp. [Fig. 2 opp. p. 11; p. 111, 112: Devonaster eucharis, Mt. Marion.]
- Chamberlain, C. K. 1971. Morphology and ethology of trace fossils from the Ouchita Mountains, southeast Oklahoma. *Journal of Paleontology* 45:212-246. [source Mángano et al. 1999] [a minitreatise on trace fossils] [expansion of diagnosis of Asteriacites lumbricalis to include subcylindrical pentaradial hiding forms] [Wapanucka Ls; Atoka shale] [Pennsylvanian age]
- Chamberlain, C. K. 1971. Bathymetry and paleoecology of Ouchita Geosyncline of southeastern Oklahoma as determined from trace fossils. *Bull. Am. Assoc. Petroleum Geologists* 55:34-50. [Fig. 6.14 sketch of Asteriacites] [Table 2 Asteriacites lumbricalis, Atoka shale @ Loc. 109; Wapanucka Ls @ Loc. 73]
- Chamberlain, C. K. 1978. Trace fossil ichnofacies of an American flysch. pp. 23-37 In Chamberlain (ed.) *A guidebook to the trace fossils and paleoecology of the Ouachita geosyncline*. Society of Economic Paleontologists & Mineralogists. 1978. Tulsa. [p. 26 Table 1 cf Conostichus pentamerous symmetry sp.; endogenic full relief; resting asteroid] [Fig. 2 item 8] [Atoka Formation]
- Chamberlain, C. K. and P. B. Basan. 1978. Field guide to the trace fossils and paleoecology of the Ouachita geosyncline. pp. 38-68 In Chamberlain (ed.) *A guidebook to the trace fossils and paleoecology of the Ouachita geosyncline*. Society of Economic Paleontologists & Mineralogists. 1978. Tulsa. [pentamerous Conostichus, Atoka Shale] [STOP 1 Backbone Mountain on Hwy OK-112] [STOP 10 Bandy Creek, Wilburton, OK] [Pennsylvanian age]
- Chamberlain, C. K. and D. L. Clark. 1973. Trace fossils and conodonts as evidence for deep-water deposits in the Oquirrh Basin of central Utah. *Journal of Paleontology* 47:663-682. [Asteriacites sp., Oquirrh Fm., Pennsylvanian age]

July 11, 2010

- Chamberlin, R. T. 1944. Memorial to William Frank Eugene Gurley. Proceedings volume of The Geological Society of America for 1943:135-140, pl. 4. [of interest because Gurley collection Paleozoic stelleroids went first to the University of Chicago and then went to the Field Museum of Natural History; a Gurley specimen is also at Yale Peabody Museum]
- Champernowne, A. 1874. On the discovery of a species of starfish in Devonian beds of South Devon. Report of the forty-third meeting of the British Association for the Advancement of Science; held at Bradford in September 1873. Notices and abstracts of miscellaneous communications to the sections. p. 77.
- Champernowne, Arthur. 1874. On the discovery of a species of starfish in the Devonian Beds of South Devon. Geol. Mag. decade II, vol. 1, p. 5.
- Chapman, E. J. 1860. geology of Belleville.
- Chapman, E. J. 1861. A popular exposition of the minerals and geology of Canada. Part IV. Some remarks on organic remains, with special reference to Canadian forms. The Canadian Journal of Industry, Science, and Art: conducted by the Editing Committee of the Canadian Institute. New Series, vol. VI, no. XXXVI, pp. 500-518. Toronto: printed for the Canadian Institute by Lovell and Gibson.
- Chapman, E. J. 1864. A popular and practical exposition of the minerals and geology of Canada, with over two hundred woodcuts and a copious index. Toronto, W. C. Chewett & Co. 236 pp., xii pp., 253 figs.
- Chapman, F. 1907. New or little-known Victorian fossils in the National Museum. Part 8. Some Paleozoic brittle-stars of the Melbournian series. Proc. Royal Soc. Victoria, n. ser., vol. 19, pt. 2, pp. 21-27, pls. 6-8.
- Chapman, F. 1907. Nomenclature of the Australian ophiuroids. Geol. Mag. (5) iv., p. 479.
- Chapman, F. 1913. On the palaeontology of the Silurian of Victoria. Austr. Assoc. Adv. Sci., xiv, p. 214, pp. 207-235. [*Palaeocoma* sp. on p. 214; redescribed as *Sturtzaster* aff. *mitchelli* Etheridge by W. & K. 1934.]
- Chauvel, J. 1966. Échinoderms de l'Ordovicien du Maroc. Cahiers de Paléontologie, Éditions du Centre National de la Recherche Scientifique, Paris. 120 pp + 16 pls. [p. 97 two specimens of asterozoans that are too poor for study]
- Chauvel, J. & B. Meléndez. 1978. Les Echinodermes (Cystoïdes, Astérozoaires, Homalozoaires) de l'Ordovicien moyen des Monts de Tolède (Espagne).--Estudios geol., 34:75-87. [? *Urosoma* sp. p. 83, pl. 2 fig. 9] [source A. B. Smith 1984] [not seen]

July 11, 2010

[reidentified by Smith 1984 as Palaeura neglecta hispanica]

- Chenoweth, P. A. 1960. Starfish impressions from the Hilltop shale. Oklahoma Geology Notes, Oklahoma Geological Survey, Norman, Oklahoma, vol. 20, no. 1, pp. 35-36, 2 figs.
- Chesnut, Donald R., Jr., & Frank R. Ettensohn. 1988. Hombergian (Chesterian) echinoderm paleontology and paleoecology, south-central Kentucky. *Bulletins of American Paleontology*, vol. 95, no. 330. 102 pp, 12 pls., + Table 6. [pp. 65-68, pl. 12: Onychaster strimplei on Pulaskicrinus campanulus, + ?Encrinasteridae sp., + Calyptactis spenceri n. sp. -- Pennington Formation, Sloans Valley Member, Strunk Construction Company Quarry, near Tatesville, Pulaski County; asteroid indet of Kirk 1942] [refer Calliasterella americana Kesling & Strimple to Calyptactis] [see also Ettensohn & Chesnut 1985]
- Churchill-Dickson, L. 2007. Maine's fossil record, the Paleozoic. Maine Geological Survey, Department of Conservation, Augusta. [p. 179 Macroporaster nylander NYSM 7740; ophiuroid, Tarratine Fm. (Devonian) USNM 126099, ref Boucot & Yochelson 1966]
- Cimerman, F. 1987 [1988]. A fossil brittle star found for the first time in our country.--*Proteus* 50(3):89-90, illustr. [in Slovenian] [ZR 1987/88, gives date as 1987[1988]; Onychaster flexilis, Carboniferous, Polhograj Ridge, Yugoslavia; Furcaster palaeozoicus, Upper Devonian, Polhograj Ridge, Yugoslavia] [The ZR information is incorrect; the paper reports a Lower Triassic ophiuroid; Onychaster and Furcaster are illustrated for tutorial purposes]
- Clark, H. L. 1946. The echinoderm fauna of Australia. Its composition and its origin. Carnegie Institution of Washington, Publication 566, Washington, D.C.
- Clarke, John M. 1906. Second report, Director of the Science Division, N. Y. State Mus., for 1905, p. 37.
- Clarke, John M. 1908. The beginnings of dependent life. New York State Education Department, Fourth Annual Report of the Director of the Science Division, pp. 147-169, pl. 1-13. [source JM Clarke 1912 p. 116 footnote] [on pp. 24-25, pl. 6 fig. 8, pl. 7 figs. 1&2: Onychaster on crinoids] [source WKS p. 332 ré Onychaster.] [Onychaster flexilis M&W found on Actinocrinus multiramosus W&Sp., extensive quote from p. 566 of W&Sp. plus copy of their fig 3 on plate 55] [also found on Barycrinus hoveyi Hall, with new figs of two specimens in collection of Fred Braun] [source ?? gives pages as 5-55]
- Clarke, John M. 1908. A Devonian brittlestar. In Fourth Report of the Director of the Science Division, including the 61st Report of the State Museum, the 27th Report of the State Geologist, and the Report of the State Paleontologist for 1907. New York State Museum, Museum Bulletin 121, University of the State of New York, Education Department

July 11, 2010

Bulletin No. 428. Albany. pp. 61-64, pls. 10-13.

Clarke, John M. 1912. A remarkable occurrence of Devonian starfish. Bull. N. Y. State Mus., No. 158, pp. 44-45, 6 pls.

Clarke, John M. 1912. Early adaptation in the feeding habits of the star-fishes. Journal of the Academy of Natural Sciences of Philadelphia, second series, vol. 15:113-118, pls. 14-16. [Palaeaster eucharis, Saugerties, NY, Devonian].

Clarke, John M. 1913. Illustrations of the Devonian fossils of Southern Brazil and the Falkland Islands. New York State Museum Bulletin 164, pp. 140-210, pls. 1-35. [Schuchert, 1915, p. 200.]

Clarke, John M. 1913. Fosséis devonianos do Parana. Monog. Serv. Geol. Min. Brasil, vol. 1, p. 315.

Clarke, John M. 1921. Organic dependence and disease: their origin and significance. New York State Museum Bulletin, nos. 221, 222, 113 pp., 105 figs. [also 1921 New Haven, Yale University Press. 113 pp.] [on pp. 78-80, figs. 65-66 "symbiotic conjunction of crinoids and starfishes"] [same figs as Clarke 1908] [more than a resting place -- "may have been an attack upon the crinoid animal through its oral aperture"] [pp. 78-80, text-figs. 65-66. source WKS p. 332 re Onychaster.] [on p. 14 Devonian starfish feed on clams]

Clarke, John M. & Rudolf Ruedemann. 1903. Catalogue of type specimens of Paleozoic fossils in New York State Museum.--Bulletin 65, Paleontology 8, 845 pp. [Echinodermata on pp. 63-80; plastotypes of Eugaster logani, Ptilonaster princeps, & Stenaster salteri]

Clarke, John M. and C. K. Swartz. 1913. Systematic paleontology of the Upper Devonian deposits of Maryland. Maryland Geol. Surv., Upper Devonian, pp. 543-544, pl. 46, figs. 3, 4.

Cleavelly, R. J. 1983. World palaeontological collections. British Museum (Natural History). Mansell Publishing Limited. 365 pp. [p. 318 James Wright, L. Carb. Asterozoa from fife]

Cleavelly, R. J., R. P. Tripp & Y. Howells. 1989. Mrs. Elizabeth Gray (1831-1924): a passion for fossils.--Bull. Br. Mus. nat Hist. (hist. ser.) vol. 17, no. 2, pp. 167-258. [source D. Rudkin pers. comm.] [history & localities; Starfish Bed, Lady Burn; Cnemidactis girvanensis photo on p. 216; p. 215 Harper 19882a:30 burial during sudden downslope movement of both sediment & fauna; p. 188 regarding W. K. Spencer's study of Girvan Asterozoa; new ref is WKS 1929]

Cocks, L. R. M., and W. S. McKerrow. 1978. Ordovician. pp. 62-91 In W. S. McKerrow (ed.),

July 11, 2010

The ecology of fossils, an illustrated guide. MIT Press 1981 paperback edition. [pp. 90-91 Tretaspis community with asterozoan; reference to Bergström (1973) Organization, life and systematics of trilobites. Fossils and Strata 2:1-69 (not seen)] [see Bergström 1973]

Cole, A. H. 1892. Palaeaster eucharis, Hall. Bull. Geol. Soc. America, vol. 3, pp. 512-514, pl. 15.

CONARIP. 1977. Fossil invertebrates – collections in North American repositories 1976. A report of the Paleontological Society Ad Hoc Committee on North American Resources in Invertebrate Paleontology (CONARIP). Brian F. Glenister, Chairman. 67 pp. [p. 66 Asteroidea -- Ash, Bishop colls. at Miami U. (OH); Mississippian Bear Gulch Fauna at U. Montana]

Conway Morris, S. and D. Grazhdankin. 2005. Enigmatic worm-like organisms from the Upper Devonian of New York: an apparent example of Ediacaran-like preservation. *Palaentology* 48(2):395-410. [FH comment: Protonympha salicifolia looks much like Foliaster Blake 1994]

Conway Morris, S. and D. Grazhdankis. 2006. A post-script to the enigmatic Protonympha (Devonian; New York): is it an arm of the echinoderms? *Plaeontology* 49(6):1335-1338. [Foliaster transversus Blake reassigned/reevaluated as Protonympha transversa (Blake 1994), phylum and class uncertain]

Cooper, Gustav Arthur. 1932. Dry-dredging in eastern central New York. Explorations and Field-Work of the Smithsonian Institution in 1931. Smithsonian Publ. 3134, pp. 19-22, figs. 16-18. Washington. [Figures fossil Devonaster eucharis and Encrinaster sp. from Colgate University Quarry.]

Cooper, Gustav Arthur. 1957. Asterozoa of the Paleozoic - annotated bibliography. In Ladd, H. S., ed., *Paleoecology: Geol. Soc. America Mem.* 67, p. 973-974.

Courtessole, R., L. Marek, J. Pillet, G. Ubaghs & D. Vizcaino. 1983. Calymenina, Echinodermata et Hyolitha de l'Ordovicien inférieur de la Montagne Noire.--Mémoires de la Société d'Études Scientifiques de l'Aude 1983, 62 pp., 13 pls. [source A. B. Smith 1988 p. 96 - cryptosyringids at base of Arenig, S. France] [Stratigraphic occurrence and mention of Chinianaster levyi, Villebrunaster thoralis, Ampullaster ubaghsi and Pradesura jacobi]

Cramer, Howard Ross. 1957. Ordovician starfish from the Martinsburg Shale, Swatara Gap, Pennsylvania. *Jour. Paleont.*, vol. 31, no. 5, pp. 903-907, pl. 108, 1 text-fig.

Cramer, Howard Ross. 1957. Devonian starfish from Pennsylvania (abstr.). *Geol. Soc. America Bull.* vol. 68, no. 12, pt. 2, p. 1877.

July 11, 2010

- Cramer, Howard Ross. 1959. Devonian starfish from Pike County, Pennsylvania. *Jour. Paleont.*, vol. 33, no. 3, p. 471-473, 1 text-fig.
- Crimes, T. P. 1987. Trace fossils and correlation of late Precambrian and early Cambrian strata. *Geol. Mag.* 124(2):97-119. [Asteriacites is not discussed but a stylized drawing with 10 rays is part of Figure 3, and the China and the White-Inyo Mts occurrences are included in a summary table of trace fossils in his Figure 5]
- Crimes, T. Peter. 1994. The period of evolutionary failure and the dawn of evolutionary success: the record of biotic changes across the preCambrian-Cambrian boundary. pp. 105-133 in Donovan, ... (ed) *The palaeobiology of trace fossils*. Johns Hopkins University Press. [on p. 11, table 4.2, Asteriacites listed in pre-trilobite Lower Cambrian; also listed in succeeding Trilobite Lower Cambrian]
- Crimes, T. P. and J. D. Crossley. 1991. A diverse ichnofauna from Silurian flysch of the Aberystwyth Grits Formation, Wales. *Geological Journal* 26:26-64. [source Mángano et al. 1999; describe Asteriacites aberensis]
- Crimes, T. P. and Jiang Zhiwen. 1986. Trace fossils from the Precambrian-Cambrian boundary candidate at Meishucun, Jinning, Yunnan, China. *Geol. Mag.* 123(6):641-649. [good text and photo ... ten rays ... about 10mm overall size ... good literature and discussion ... refers to Alpert 1976 and to Yang Zuni et al 1982. The ten rays (can see 7 in the photo) look to me to be in pairs ... ie 5 pairs ... so maybe bifurcating inside the disk or something like that ... if all the specimens are like this one, then explanation as double impressions with rotation is not likely .. Crimes does not go into this level of detail.]
- Croneis, Carey Gardiner and Franklin Carl Potter. 1933. New Mississippian starfish (abstract). In *Proceedings of the twenty-fourth annual meeting of the Paleontological Society, held at Cambridge, Massachusetts, December 28, 29 and 30, 1932*, B. F. Howell, Secretary. *Bull. Geol. Soc. Am.* vol. 44, pt. 1, p. 211.
- Cuenot, L. 1948. Anatomie, ethologie et systematique des echinodermes. In *Traite de Zoologie, Anatomie-Systematique Biologie*, Pierre-P. Grasse, ed. Paris, t. XI, pp. 3-272, figs. 1-312.
- Cumings, E. R. 1908. The stratigraphy and paleontology of the Cincinnati Series of Indiana. *32nd Ann. Rept., Indiana Dept. Geol. Nat. Res.*, pp. 605-1,188, pls. 1-55. [source Golden & Nitecki, 1970: Stenaster grandis pp. 731-733, pl. 3, figs. 6-6b] [not seen; may have other Asterozoa]