

July 16, 2010

filename bibk.wpd

- Kácha, P. and V. Petr. 1996. Camouflage and mimicry in fossils, I.: General part. -- Acta musei Nationalis Pragae, Series B, Historia Naturalis 51(1995)(1-4):53-82. [a very stimulating paper] [p. 58 graptolite colonies imitating brittlestar per Archie Lamont][p. 67 strategy of being different -- example of Ophiopholis aculeata (see paper by G.B. Moment in fh files)] [p. 67 Ordovician predation]
- Kammer, T. W., and W. I. Ausich. 2007. Soft-tissue preservation of the hind gut in a new genus of cladid crinoid from the Mississippian (Visean, Asbian) at St. Andrews, Scotland. *Palaeontology* 50(4):951-959. [cites soft-tissue preservation in Bundenbachia beneckeii, Palaeophiomys grandis, and Protasterina flexuosa; cites Glass 2006; also Glass & Blake 2002, 2004] [this locality is in Fife, Scotland, so perhaps this paper relates also to Fife Aganaster]
- Katzer, Friedrich. 1902. *Geologie von Bohmen*. Zweite Ausgabe. Prag. Verlag von I. Taussig. [On p. 870 mentions Asterias primula Barr.]
- Kayser, E. 1897. Beiträge zur Kenntnis einiger paläozoischer Faunen Süd-Amerikas. *Z. Deutsch. Geol. Ges.* 49:274-317, pl. 7-12. [see Haude 1999]
- Kelly, J. 1860. On the Graywacke rocks of Ireland, as compared with those of England. *Journal of the Geological Society of Dublin* 8:251-333. [p. 318 lists of fossils including Bdellacoma] [Echinodermata on pp. 317-318]
- Kelly, S. M. 1984. Fauna and paleoecology of the Middle Chester Indian Springs Shale, Sulphur, Indiana. Unpub. PhD dissertation, Indiana University, Bloomington. [source Blake & Elliott 2001 ms for JP; new specimen of Delicaster enigmaticus IU#16226]
- Kent, L. S. 1982. Type and figured fossils in the Worthen collection at the Illinois State Geological Survey. Illinois Department of Energy and Natural Resources, State Geological Survey Division, Circular 524, 65 pp. [Protaster? gregarius p. 52; Cholaster peculiaris p. 26; Tremataster difficilis p. 62; Palasterina (Schoenaster) fimbriata p. 45; Compsaster formosus p. 27]
- Kesling, R. V. 1962. Notes on Protopalaeaster narrawayi Hudson. *Jour. Paleont.*, vol. 36, no. 5, pp. 933-942, illus., table.
- Kesling, R. V. 1964. A drastic reappraisal of "Lepidasterella babcocki Schuchert" as Helianthaster gyalinus Clarke a streptophiuran auluroid. *Contr. Mus. Pal. Univ. Mich.* vol. XIX, no. 9, pp. 115-133, 4 pls., 1 fig.

July 16, 2010

- Kesling, R. V. 1967. Neopalaeaster enigmaticus, new starfish from Upper Mississippian Paint Creek Formation in Illinois. Mich. Univ. Mus. Pal. Contr. vol. 21, no. 3.
- Kesling, R. V. 1969. Silicaster, a new genus of Devonian starfish. Contr. Mus. Pal. Univ. Mich. vol. 22, no. 19, pp. 249-261, 4 pls., 2 text-figs.
- Kesling, Robert V. 1969. Three Permian starfish from Western Australia and their bearing on revision of the Asteroidea. Contr. Mus. Pal. Univ. Mich., vol. 22, no. 25, pp. 361-376, 3 pls., 6 text-figs.
- Kesling, Robert V. 1969. A new brittle-star from the Middle Devonian Arkona Shale of Ontario. Contr. Mus. Pal. Univ. Mich., vol. 23, no. 2, pp. 37-51, 6 pls., 2 text-figs.
- Kesling, Robert V. 1970. Drepanaster wrighti, a new species of brittle-star from the Middle Devonian Arkona Shale of Ontario. Contr. Mus. Pal. Univ. Mich., vol. 23, no. 4, pp. 73-79, 2 pls.
- Kesling, Robert V. 1971. Antiquaster magrumi, a new unusual brittle-star from the Middle Devonian Silica Formation of Northwestern Ohio. Contr. Mus. Pal. Univ. Mich., vol. 23, no. 10, pp. 181-191, 4 pls., 1 text-fig.
- Kesling, Robert V. 1971. Michiganaster inexpectatus, a new many-armed starfish from the Middle Devonian Rogers City limestone of Michigan. Contrib. Mus. Paleont. Univ. Mich., vol. 23, no. 16, pp. 247-262, 3 pls., 5 text-figs.
- Kesling, Robert V. 1972. Strataster devonicus, a new brittle-star with unusual preservation from the Middle Devonian Silica Formation of Ohio. Contr. Mus. Pal. Univ. Mich., vol. 24, no. 2, pp. 9-15, 2 pls., 3 text-figs.
- Kesling, Robert V. 1982. Acinetaster konieckii, a new brittle-star from the Middle Devonian Arkona Shale. Contrib. Mus. Paleont. Univ. Mich. 26(5):71-81.
- Kesling, Robert V. 1982. Arkonaster, a new multiradiate starfish from the Middle Devonian Arkona Shale of Ontario. Contrib. Mus. Paleont. Univ. Mich. 26(6):83-115. [p. 98 table and key to known Middle Devonian Stelleroidea from Michigan, Ohio and Ontario]
- Kesling, Robert V. and Ruth B. Chilman. 1975. Strata and megafossils of the Middle Devonian Silica Formation. Friends of the University of Michigan Museum of Paleontology, Inc. Papers on Paleontology No. 8, 408 pp. [Antiquaster magrumi; ?Devonaster spp., 'multiarmed starfish' Silicaster esseri, Strataster devonicus] [8/24/2003 Mike Topor: compare Arkonaster with the multiarmed starfish – do they appear to be the same genus/species?] [p. 169 tiny flat oral spines on the lateral plates; millions of these little flat spatula-shaped spines in the shale...]

July 16, 2010

- Kesling, Robert V. and Ruth B. Chilman. 1978. Ostracods of the Middle Devonian Silica Formation. Museum of Paleontology, The University of Michigan, Papers on Paleontology No. 18: vol. 1 (text) & vol. 2 (plates). [Bursulella records; see Hotchkiss & Glass 2010]
- Kesling, Robert V. and Douglas Le Vasseur. 1971. Strataster ohioensis, a new Early Mississippian brittle-star, and the paleoecology of its community. Contr. Mus. Pal. Univ. Mich., vol. 23, no. 20, pp. 305-341, 9 text-figs, 13 plates.
- Kesling, R. V. and H. L. Strimple. 1966. Calliasterella americana, a new starfish from the Pennsylvanian of Illinois. Jour. Paleont., vol. 40, no. 5, pp. 1157-1166, illus. [they use the convention that the madreporite marks the right anterior interradius; an indentation in the central plate suggests the anus was right posterior]
- Kesling, R. V. and Jean D. Wright. 1965. Two new Middle Devonian species of Devonaster from Southwestern Ontario. Mich. Univ. Mus. Pal. Contr., vol. 20, no 15, pp. 257-263.
- Keyes, Charles Rollin and B. H. Beane. 1934. Modernity in Paleozoic starfishes. Pan-Am. Geologist, vol. 62, no. 3, pp. 197-212, 2 figs, 3 pls.
- Kilfoyle, Clinton F. 1954. Catalog of type specimens of fossils in the New York State Museum, supplement 4. NYSM Bull. 348, 719 pp. [Asterozoa on pp. 196-204, 619; also in listing by strata.]
- Kilfoyle, Clinton F. 1969. Catalog of type specimens of fossils in the New York State Museum, supplement 6. NYSM Bull 413, 305 pp. [Devonaster eucharis p. 258, 293.]
- Kinahan, G. H. 1878. [see Baily 1878 in Kinahan 1878]
- Kinahan, G. H. and W. H. Baily. 1879. Explanatory Memoir to accompany Sheets 169, 170, 180 and 181 of the Map of the Geological Survey of Ireland in the County of Wexford with Palaeontological notes by W. H. Baily. Memoirs of the Geological Survey of Ireland. 63 pp. [ref to p. 59 fig. 6] [see Parkes & Sleeman 1997]
- Kindle, E. M. 1898. A catalog of the fossils of Indiana: accompanied by a bibliography of the literature relating to them. pp. 407-514 *in* Indiana Department of Geology and Natural Resources, twenty-second annual report [for] 1897. 1197pp.
- Kirk, Edwin. 1942. Ampelocrinus, a new crinoid genus from the Upper Mississippian.--American Journal of Science 240:22-28. [Plate 1 fig. 2 of paratype of A. bernhardinae from Glen Dean limestone (Chester Group), Sloans Valley, Pulaski County, Ky. has evident ophiuroid cf. Encrinasteridae, number S4402b in the Springer collection

July 16, 2010

of the USNM]

- Klages, O. 1955. Die versteckten Fossilien von Bundenbach. *Aufschluss* 6:66-68, 6 figs. Rossdorf bei Darmstadt. [source Kutscher 1976] [Loriolaster mirabilis, Aspidosoma tischbeinianum] [not seen]
- Klähn, H. 1929. Die Bedeutung der Seelilien und Seesterne für die Erkennung von Wasserbewegung nach Richtung und Stärke. *Palaeobiologica* 2:287-302, plates 26-34. Wien & Leipzig. [source Kutscher 1976] [Furcaster palaeozoicus, Aspidosoma tischbeinianum, Asterias asperula]
- Klinghardt, F. 1933. Beobachtung an lebenden und fossilen Schlangen-Seesternen, Quallen und Rudisten. *Jahrbuch der Preussischen Geologischen Landesanstalt zu Berlin für das Jahr 1932*, vol. 53, pp. 947-963, 7 figs., plates 49-53, Berlin, 1933. [Roemeraster asperula, Furcaster palaeozoicus, Cheiropteraster giganteus, Loriolaster mirabilis] [also Mesozoic and Recent ophiuroids] [arm enrollment in O. fürstenbergii and mention of Onychaster flexilis] [O. fürstenbergii is tentatively Ophioplithaca fide Jagt (2000 *Scripta Geologica* 121, p. 11)]
- Kneidl, V. 1984. Hunsrück und Nahe: Geologie, Mineralogie und Paläontologie; ein Wegweiser für den Liebhaber. Kosmos Gesellschaft der Naturfreunde, Franckhische Verlagshandlung, Stuttgart. 128 pp. [faunal list of Asterozoa; photos of Eospondylus, Furcaster, Hymenosoma, Palaeosolaster, Loriolaster]
- Knod, Reinhold. 1908. Beiträge zur Geologie und Palaontologie von Sudamerika. XIV. Devonische Faunen Boliviens. *Neues Jahrbuch für Mineralogie, Geologie und Palaontologie*. XXV. Beilage-Band. pp. 493-600. [Records starfish remains from "Pflanzensandstein von Challa".]
- Köhler, S. 2002. Im Tode vereint. *Fossilien* 19(6):323 [Bohemura jahni] [Letna-Park, Progue, 1997]
- Kolata, Dennis R. 1975. Middle Ordovician echinoderms from Northern Illinois and Southern Wisconsin. *Paleont. Soc., Mem. 7* (*Jour. Paleontology*, vol. 49, no. 3, supp.), 74 pp. [Hudsonaster sp. cf. H. rugosus (Billings) on p. 54; Promopalaeaster wilsoni (Raymond) on p. 54; Urasterella? sp. on p. 55] [plate 10 figs 1-4, 7-9]
- Kolata, D. R., J. C. Brower & T. J. Frest. 1987. Upper Mississippi Valley Champlainian and Cincinnati echinoderms. pp. 179-181 in R. E. Sloan (ed.) *Middle and Late Ordovician lithostratigraphy and biostratigraphy of the upper Mississippi Valley*. Minnesota Geological Survey Report of Investigations 35. 232 pp. [University of Minnesota] [Hudsonaster, Promopalaeaster, Schuchertia, Urasterella]

July 16, 2010

- Kolata, D. R. and L. Pavlides. 1986. Echinoderms from the Arvonian slate, central Virginia piedmont.--*Geologica et Palaeontologica* 20:1-9, illustr. [ZR1987/88] [p.4 ophiuroid (order undetermined)] [see Watson & Powell 1911]
- Königswald, R. von. 1930. Die Arten der Einregelung im Sediment bei den Seesternen und Seelilien des unterdevonischen Bundenbacher Schiefers. *Senckenbergiana*, 12:338-360, 19 figs., 7 pls. Frankfurt. [eleven gen. sp. figured] [source Kutscher 1976]
- Königswald, R. von. 1930. Die Fauna des Bundenbacher Schiefers in ihren Beziehungen zum Sediment. *Cbl. Miner. B*:241-247. Stuttgart. [source Kutscher 1976] [not seen]
- Kooser, M. 1995. Drawings by Marilyn Kooser, University of California, Riverside p. 490 In: J.D. Cooper, M.L. Droser & S.C. Finney (eds.): *Ordovician Odyssey: Short papers for the Seventh International Symposium on the Ordovician System, Las Vegas, Nevada, USA, June 1995*, 498 pp., The Pacific Section Society for Sedimentary Geology (SEPM). Fullerton, California. [drawing of Hudsonaster] [these drawings correspond with illustrations in paper by M.L. Droser, R.A. Fortey & X. Li 1996]
- Kornicker, Louis S. 1954. Distribution of ostracodes in the Florena Shale. Master's Essay, Columbia University, 85 pp. [Columbia University, Butler Library, Microform Reading Room (on microform; no call number available)] [Permian "ophiuroid arm-ossicles" figured plate 6, figs. 1a-c, and figs 2a,b.]
- Kozłowski, Roman. 1923. Faune Devonienne de Bolivie. *Ann. de Paleont.*, t. XII, 112 pp., X pls. [Aspidosoma? sp.; Echinasterella? sp.]
- Kroh, A. 2006. [see Kroh 2003]
- Kroh, A. 2003. First record of gorgonocephalid ophiuroids (Echinodermata) from the Middle Miocene of the Central Paratethys. *Cainozoic Research* 2(1-2):143-156. [Kroh 2006 erratum to table 2 in *Cainozoic Research* 4(1-2):119. [the erratum provides the last two columns of the table 2] [table 2 summarizes arm branching on the suborder Euryalina -- includes *Eospondylus* and *Onychaster* as non-branching, and *Kentrospondylus* as single branching].
- Kuhn, O. 1933. Die unterdevonischen Schiefer von Bundenbach. *Natur u. Kultur* 30:127-130, 6 figs. Innsbruck-Wien-München. [source Kutscher 1976] [not seen] [Aspidosoma]
- Kuhn, O. 1949. *Lehrbuch der Paläozoologie*. 326 pp., 224 figs., 50 plates. Stuttgart. [source Kutscher 1976] [not seen] [*Euzonosoma tischbeinianum*, *Encrinaster roemeri*, *Helianthaster*]
- Kuhn, O. 1961. Die Tierwelt der Bundenbacher Schiefer. *Neue Brehm-Bücherei*, 274, 48 pp, 45

July 16, 2010

figs. Wittenberg-Lutherstadt. [source Kutscher 1976] [not seen] [figs. of *Encrinaster tischbeinianum*, *Roemeraster asperula*, *Furcaster palaeozoicus*, *Encrinaster roemeri*]

Kukalová-Peck, J. 1973. A phylogenetic tree of the Animal Kingdom (including Orders and higher categories). Nat. Mus. Canada, Publ. Zool. No. 8, 78 pp. [source Sepkoski 1982]

Kutscher, F. 1931. Zur Entstehung des Hunsrückschiefers am Mittelrhein und auf dem Hunsrück. Jb. nass. Ver. Naturk. 81:177-232, 2 figs, 2 plates. Wiesbaden. [source Kutscher 1976] [not seen] [*Helianthaster rhenanus*, *Furcaster palaeozoicus*, *Encrinaster tischbeinianus*, *Urasterella asperula*]

Kutscher, F. 1963. Beiträge zur Sedimentation und Fossilführung des Hunsrückschiefers. 3. Die Anwendung der Röntgentechnik zur Diagnostik der Hunsrückschieferfossilien. Notizbl. hess. L.-Amt Bodenforsch. 91:74-86, 3 plates. Wiesbaden. [source Kutscher 1976] [not seen] [*Urasterella asperula*, *Palaeostella solida*, *Medusaster rhenanus*, *Palaeonectria devonica*]

Kutscher, F. 1967. Die museale Darstellung von Hunsrückschiefer-Fossilien mit modernen Präparationsmethoden und Röntgendiagnostik. Museumkunde: 66-75, 4 figs. Berlin. [source Kutscher 1976] [not seen] [*Urasterella verruculosa*, *Ophiurina lymani*, *Palaeactis lanceolatus*, *Palasterina tilmanni*]

Kutscher, Fritz. 1969. Beiträge zur Sedimentation und Fossilführung des Hunsrückschiefer-Fossilien. 23. Aus der Frühgeschichte der Untersuchung von Hunsrückschiefer-Fossilien. (Contributions to the sedimentation and fossil formation of the Hunsrück shales. 23. From the early history of the investigation of Hunsrück shale fossils.) Dechiana 122(1): 15-20, 1 pl. [English and French summaries][*Euzonosoma tischbeinianum* pl. i, figs. 5,6] [*Urasterella asperula* pl. i, figs. 2-4]

Kutscher, F. 1970. Beiträge zur Sedimentation und Fossilführung des Hunsrückschiefers. 30. Die Echinodermen des Hunsrückschiefer-Meeres. Abh. hess. Landesamt. Bodenforsch. 56:37-48, 2 figs., 1 pl. [A mass occurrence of *Encrinaster roemeri* described and figured] [also other topics such as water currents and arm layout]

Kutscher, F. 1970. Die Vertseinerungen des Hunsrückschiefers. Erinnerungen an Walther Maximilian Lehmann. Aufschluss, 19. Sonderheft, Idar-Oberstein, pp. 87-100, 14 figs. Heidelberg. [source Kutscher 1976] [not seen] [*Cheiropteraster giganteus*, *Urasterella verruculosa*, *Ophiurina lymani*]

Kutscher, F. 1970. Vor 350 Millionen Jahren. Leben im Hunsrückachiefer-Meer. Mappe mit 16 Bildern und Beschreibungen. Bad Kreuznach (Jung & Co.). [source Kutscher 1976] [not seen] [*Euzonosoma tischbeinianum*, *Furcaster palaeozoicus*, Verkiester 32-armed seastar, *Medusaster rhenanus*]

July 16, 2010

- Kutscher, F. 1970. Peter Tischbein und die Hunsrückschiefer-Fossilien. Mitt. Ver. Heimatkd. Landkreis Birkenfeld u. Heimatfreunde Oberstein 33:84-87, 2 figs. Idar-Oberstein. [source Kutscher 1976] [not seen] [Euzonosoma tischbeinianum]
- Kutscher, F. 1976. Beiträge zur Sedimentation und Fossilführung des Hunsrückschiefers. 43. Die Asterozoen des Hunsrückschiefers. -- Geol. Jb. Hessen 104:25-37. [complete review of all papers from Roemer 1862-1864 to 1972]
- Kutscher, F. and M. Horn. 1963. Beiträge zur Sedimentation und Fossilführung des Hunsrückschiefers. 4. Fossilien und organogener Detritus im Sediment. Notizbl. hess. L.-Amt Bodenforsch 91:87-91, 1 plate. Wiesbaden. [source Kutscher 1976] [not seen] [Palaeactis lanceolatus, Palasterina tilmanni, Miospondylus rhenanus, Ophiurina lymani, Furcaster palaeozoicus]
- Kutscher, Manfred. 2004. A sea-star (Echinodermata) in a Silurian Geschiebe (glacial erratic boulder) from Niederlehme near Berlin (Brandenburg). Ueber einen Seestern (Echinodermata) in einem Silurgeschiebe von Niederlehme bei Berlin (Brandenburg). Archiv fuer Geschiebekunde 3(8-12):619-626. [in German with English summary] [Urasterella ruthveni, U. ruthveni leintwardensis] [ZR2004] [complete review of all occurrences] [good photos; cross-section; isolated adams; body fossils]
- Kutscher, M. & L. Villier. 2003. Ophiuroid remains from the Toarcian of Sainte-Verge (Deux-Sèvres, France): paleobiological perspectives. Geobios 36:179-194. [title also in French] [Late Permian mass extinction and Early Triassic to Middle Jurassic burst of lineages sets apart the Paleozoic and post-Paleozoic ophiuroid faunas] [excellent paper]