

May 21, 2006

filename bibl.wpd

Ladd, H. S. et al. ?1957. Treatise on marine ecology and paleoecology. Vol. 2. Paleocology. Mem. geol. Soc. Amer. 67 (2): 1-1077, figs. [Paleaster sp. Ladd p. 36 pl. iii fig. 1; Zoo. Rec. 1957]

Lafay, B., A. B. Smith & R. Christen. 1995. A combined morphological and molecular approach to the phylogeny of asteroids (Asteroidea: Echinodermata).--Syst. Biol. 44(2):190-208. [post-Paleozoic orders form a monophyletic group]

Lamont, A. 1934. Lower Palaeozoic brachiopods of the Girvan District: suggestions on morphology in relation to environment. Ann. Mag. Nat. Hist., ser. 10, vol. XIV, pp. 161-184, figs. 1-5.

Lamont, Archie. 1935. The Drummuck Group, Girvan; A stratigraphical revision with descriptions of new fossils from the lower part of the group. The Transactions of the Geological Society of Glasgow, vol. XIX, part II, pp. 288-334, pls. VII-IX, 4 text-figs.

Lamont, A. 1947. Gala-Tarannon Beds in the Pentland Hills, near Edinburgh. Geol. Mag. vol. 84: No. 4, pp. 193-208, No. 5, pp. 289-303.

Lamont, Archie. 1969. Prolegomena to aggressive mimicry and protective resemblance in early fishes, chelicerates, trilobites and brachiopods. -- Scottish Journal of Science, vol. 1, part 2:77-103. [published by Dr. Archie Lamont, Midlothian, Scotland] [p. 77 Gala-Tarannon flagstones containing graptolites and starfish; thinking that graptolite communities of Climacograptus and Dimorphograptus imitate starfish] [also p. 84 and Text-fig. 3] [p. 86 no evidence that starfishes could open enrolled trilobites, but trilobites and bivalves are scarce in brittle-star country in the lower part of the Pentlandian] [p. 86 difficult for starfish to insert stomach into some brachiopods Atrypa, Leptaena rhomboidalis] [defence by small size -- too small to provide an adequate meal]

Lane, N. Gary. 1963. The Berkeley crinoid collection from Crawfordsville, Indiana. Jour. Paleont., vol. 37, no. 5, pp. 1001-1008, pl. 128. [On p. 1005: Onychaster flexilis Meek & Worthen, "asteroid".]

Lane, N. Gary. 1973. Paleontology and paleoecology of the Crawfordsville fossil site (Upper Osagian: Indiana). University of California Publications in Geological Sciences 99:141 pp. + 21 plates.

Lane, N. Gary. 1981. A nearshore sponge-spicule mat from the Pennsylvanian of west-central Indiana. Journal of Sedimentary Petrology 51(1):197-202. [this is the ophiuroid locality of Weller (1930)] [extracted a diverse silicified fauna that includes ophiuroid, asteroid and echinoid]

May 21, 2006

remains]

- Lane, N. Gary and L. A. Frakes. 1970. A Permian starfish from South West Africa. *Jour. Paleont.*, vol. 44, no. 6, pp. 1135-1136.
- Lane, N. Gary, C. G. Maples & J. A. Waters. 2001. Revision of Late Devonian (Famennian) and some Early Carboniferous (Tournaisian) crinoids and blastoids from the type Devonian area of North Devon. *Palaeontology* 44(6):1043-1080. [revision of crinoids and blastoids of Whidborne (1896, 1898) giving stratigraphic and locality data that pertains also to the ophiuroids and asteroids of Whidborne]
- Lane, N. Gary and Jan. F. Van Sant. 1964. Crawfordsville Crinoid Beds. In *Crawfordsville (Indiana) Crinoid Studies*, by Van Sant and Lane. *Univ. Kansas Paleont. Contr. Echinodermata*, Art. 7, pp. 1-136, pls. 1-8, figs. 1-41. [p. 34: *Onychaster*]
- Langenheim, R. L., Jr., et al. 1969. Geology of the West Range and Ely Springs Range, Lincoln County, Nevada (abstr.). *GSA Abstr. 1969. Part 3 (Cordilleran Sect.)*, p. 33. ["an individual Middle Canadian asterozoan was collected in the Yellow Hill Limestone"]
- Langer, W. 1994. Bernard Sturtz. Ein ungewöhnlicher Erforscher der Hunsruckschiefer-Fauna. -- *Natur und Museum (Frankfurt am Main)* 124(1), Januar 1994:17-20, illustr.[in German] [source ZR 1993/1994]
- Langer, W. 1997. Neue oder wenig bekannte Mikrofossilien aus dem europäischen Devon. *N. Jb. Geol. Paläont. Abh.* 205(1):129-144. [Asterozoa *pedicellaria* & *paxillae*; ophiocistioids, echinoids, holothuroids]
- Lankester, E. Ray., editor. 1900. *A Treatise on Zoology. Part III. The Echinoderma*, by F. A. Bather assisted by J. W. Gregory and E. S. Goodrich. London, Adam & Charles Black, pp. viii + 344, text-figs.
- Lapworth, Charles. 1882. The Girvan Succession. *Quart. Jour. Geol. Soc. London*, vol. 38, pp. 537-666, pls. 24, 25, 31 text-figs.
- La Touche, ?. 1884. (pars) *Handb. Geol. Shropshire* p. 34. [WKS pt. 5, p. 219]
- La Touche, J. D. 1893. Notes on the Church Hill Quarry. -- *Tr. Woolhope Club*, 1890-92, p. 35. [ZR 1894 Silurian, Lower Ludlow, Shropshire, Asteroidea, popular notes]
- Laudon, L. R. 1933. The stratigraphy and paleontology of the Gilmore City Formation of Iowa. *University of Iowa Studies*, New Series No. 256, vol. 15, no. 2, pp. 1-74. [p. 23 one starfish

May 21, 2006

from the Rhynchopora zone; p. 26 starfishes from the Rhodocrinus zone; p. 36, starfishes appear occasionally]

Laudon, Lowell Robert. 1934. New echinoderms from Le Grand, Iowa. (abstr.). GSA Proc. 1933, p. 363, June 1934. [183 almost perfect specimens of Schoenaster legrandensis, Kinderhook ls., Le Grand, Iowa, B.H. Beane coll.] [add this occurrence to the records of brittle star beds compiled by Richard Aronson]

Laudon, L. R. and B. H. Beane. 1937. The crinoid fauna of the Hampton Formation at Le Grand, Iowa. Iowa Univ. Studies in Nat. Hist., vol. 17, no. 6, n.s. no. 345, pp. 227-272, 5 pls., 5 figs. [Abstract in Oklahoma Acad. Sci. Proc., 1936, vol. 17, p. 83, 1937.] [On pp. 232-234 the discovery of slab with 183 specimens of Iovaster grandis; slab figured in fig. 4; a synonym of Schoenaster legrandensis (p. 234).]

Lawrence, J. M. & M. Komatsu. 1990. Mode of arm development in multiarmed species of asteroids. Pp. 269-275 in Echinoderm Research - proceedings of the second European conference on echinoderms, Brussels/Belgium/18-21 September 1989. [DeRidder, Dubois, Lahaye & Jangoux (eds)] A.A. Balkema, 343 pp. [Medusaster listed in Table 1, number of arms 11-16, refers to Lehmann 1957]

Le Clair, E. E. 1993. Effects of anatomy and environment on the relative preservability of asteroids: a biomechanical comparison. Palaios 8:233-243. [refers to literature on Palaeozoic Stellerioidea]

Lefebvre, B. & D. Vizcaino. 1999. New Ordovician cornutes (Echinodermata, Stylophora) from Montagne Noire and Brittany (France) and a revision of the order Cornuta Jaekel 1901. Geobios 32:421-458. [p. 422 Saint-Chinian Formation, faunal zone f includes somasteroids, ophiuroids] [p. 423 shales of the Landeyran Formation, faunal zone l (letter L), Orb Valley, Les Sources du Foulon, near Cessenon, includes asterozoans] [Arenig] [see also Vizcaino & Lefebvre 1999]

Lehmann, W. M. 1938. Die Anwendung der Rontgenstrahlen in der Palaontologie. Jb. u. Mitt. oberh. geol. Ver., N.F. 27, pp. 16-24, 6 pls., Stuttgart 1938.

Lehmann, W. M. 1939. Die Fauna des Hunsruckschiefers. In: Versteinertes Leben aus dem Hunsrucker. Abh. preuss. Akad. Wiss. Jg. 1939, math-nat. Kl., 13, pp. 1-17, 7 pls., Berlin 1939.

Lehmann, W. M. 1951. Anomalies et régénérations chez quelques Asterozoa paléozoïques.--Bull. Soc. géol. France (5) vol. 20 [1951 for 1950], pp. 267-274, pls. xii-xiii. [source Zoological Record, vol. 88, Sect. 5 Echinoderma, for 1951 (May 1953), p. 8]

Lehmann, W. M. 1951. Anomalien und Regenerationserscheinungen au paläozoischen

May 21, 2006

- Asterozoen.--N. Jb. Geol. Paläont. vol. 93, pp. 401-416, pls. xix-xxv. [source Zoological Record, vol. 88, Sect. 5 Echinoderma, for 1951 (May 1953), p. 8]
- Lehmann, W. M. 1957. Die Asterozoen in den Dachschiefern des rheinischen Unterdevons. Abhandlungen des Hessischen Landesamtes für Bodenforsch, vol. 21, 160 pp., 55 pls., 31 text-figs. [for biographical information on W. M. Lehmann see Gerth 1961 and Kutscher 1970]
- Lehmann, W. M. 1958. Über einen 21-armigen Medusaster rhenanus Stuertz aus dem unterdevonischen Hunsrückschiefer.--Notizbl. hess. Landesamt. Bodenforsch. vol. 86: 79-80, pl. ix.
- Lesley, J. P. 1889. A dictionary of the fossils of Pennsylvania and neighboring states named in the reports and catalogues of the survey. Geol. Surv. Pennsylvania Rept. P4, vol. 2 N-R, pp. 439-914, numerous text figs. [source Golden & Nitecki]
- Lesley, J. P. 1890. A dictionary of the fossils of Pennsylvania and neighboring states named in the reports and catalogues of the survey. Geol. Surv. Pennsylvania Rept. P4, vol. 3 S-Z, pp. 915-1283, numerous text figs. [source Golden & Nitecki]
- Lewarne, Gillian C. 1964. Starfish traces from the Namurian of County Clare, Ireland.--Palaeontology, vol. 7, no. 3, pp. 508-513. [source Owen 1965, p. 571: numerous traces of ophiuroids, disc 2-4 mm, R 7-9 mm; sandstone; Namurian R1 Zone, at Doonaha House, Loop Head Peninsula, Co. Clare]
- Lewis, D. N. 1993. Catalogue of the type and figured specimens of fossil Asteroidea and Ophiuroidea in The Natural History Museum. Bull. nat. Hist. Mus. (Geol.) 49, no. 1, pp. 47-80.
- Liddell, W. D. 1975. Biostratinomy and ecology of a Middle Ordovician echinoderm assemblage from Kirkfield, Ontario. Unpublished Master's Thesis, Department of Geology and Mineralogy, The University of Michigan, 41 pp., 3 tables, 5 text-figs, 3 plates. [obtained from the author, April 1990] [Stenaster salteri; Hudsonaster narrawayi? (=Macroporaster matutinus (Hall)).] [Many good observations -- except incorrect on oral/aboral orientation]
- Lin Tianrui. 1988. The discovery of new ophiuroids in the Lower Silurian from Cili, Hunan. Journal of Nanjing University, Natural Sciences Edition 24(1) 1988:158-162, illustr. [In Chinese with English summary][ZR 1988/89] [Lower Silurian, new taxa Ciliophiurina hunanensis]
- Lindstrom, G. 1885. List of the fossils of the Upper Silurian Formation of Gotland. Kongl. Boktryckeriet, P.A. Norstedt & Soner, Stockholm. [p. 14: Palasterina antiqua His.; asteroid, crinoidal limestone of Follingbo; ophiuroid, Pterygotus-strata near Wisby.]

May 21, 2006

Locke, J. 1848. [Notice of an Asterias from the Blue Limestone of Cincinnati.] Proc. Acad. Nat. Sci., Philadelphia, for 1846-47, vol. 3, 1848, pp. 32-34, text-fig.

Lund, R., H. Feldman, W. L. Lund, & C. G. Maples. 1993. The depositional environment of the Bear Gulch Limestone, Fergus County, Montana.--pp. 87-96 In Montana Geological Society Guidebook 1993, Energy and Mineral Resources of Central Montana. [p. 87 mention of starfish (Welch 1984)] [see also Grogan & Lund 2002]

Lutken, ?. 1869. Dansk. Vid. Selsk. Skrift., ser. 5, vol. viii, pt. 3, p. 82 [source WKS 1940, p. 540]

Lyon, Sidney Smith and S. A. Casseday. 1860. A synonymic list of the Echinodermata of the Paleozoic rocks of North America. Am. Ac. Arts, Pr. 4, pp. 282-304.